

DANEI TWO ARRIVAL

ST-107 (FAA)

DAYTON, OHIO

EC-2, 22 JUN 2017 to 20 JUL 2017

DAYTON APP CON
118.425 323.15
JAMES M. COX ATIS 125.8


DANEI

N40°12.16'-W83°38.36'

VERTICAL NAVIGATION PLANNING

All aircraft expect clearance to cross at 11,000' and 250 KTS

NOTE: Radar required



APPLETON
116.7 APE
Chan 114
N40°09.06'-W82°35.30'
L-29, H-10

SPRINGFIELD
113.2 SGH
Chan 79

SPRINGFIELD-
BECKLEY
MUNI

WRIGHT-
PATTERSON
AFB

DAYTON
DQN
Chan 92
N40°00.99'-W84°23.81'

DAYTON-
WRIGHT BROTHERS

MIDDLETOWN RGHL
HOOK FIELD

APPLETON TRANSITION (APE:DANEI2): From over APE VORTAC via APE R-280 to DANEI INT. Thence

. From over DANEI INT via heading 253°. Expect radar vectors to final approach course.

LOST COMMUNICATIONS:

In the event of lost communications: At DANEI INT, proceed direct DQN VOR/DME maintain 3000 feet until DQN VOR/DME.

NOTE: Chart not to scale.

EC-2, 22 JUN 2017 to 20 JUL 2017